

## Quality Control

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 76029

November-03-11 8:58:01 AM

**\*76029\***

Page 2

Item ID: D3589-5 Accept **\*N900040100\*** Setup Start **\*NS1\***  
 Revision ID: Stop **\*NS2\***  
 Item Name: LATCH GUIDE  
 Start Date: 03/11/2011 Start Qty: 16.00 **\*16\*** Cust Item ID:  
 Required Date: 17/11/2011 Req'd Qty: 16.00 **\*16\*** Customer:  
 Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start **\*NR1\***  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

120	QC8- Inspect parts - second check	0.00							
<b>*120*</b>									
QC	Memo	0.00							
Quality Control									

130	Identify as per dwg & Stock Location: <u>STWA</u>	0.00							
<b>*130*</b>									
Packaging	Memo	0.00							
Packaging									

140	QC21- Final Inspection - Work Order Release	0.00							
<b>*140*</b>									
QC	Memo	0.00							
Quality Control									

11-11-18  
11-11-18  
16

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

# Picklist Print

November-03-11 8:58:05 AM

Page 1

Work Order ID: 76029

\*76029\*

Parent Item: D3589-5

\*D3589-5\*

Parent Item Name: LATCH GUIDE

Start Date: 03/11/2011

Required Date: 17/11/2011

Start Qty: 16.00

Required Qty: 16.00

Comments: IPP Rev:A 08-05-29 new issue DD verified by:EC IPP Rev:B 09-02-20 rev.b asper dwg DD verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

M304TR0.500W.049

Purchased

No

100

f

291.4801

0.26

4.378947

**\*M304TR0 500W 049\***

\*\*

4.200'

mt/af 11/11/15

304 RD Tube .500 x .049W

Location

Loc Qty

Loc Code

MAT017

291.480058

111814

2.23

115010

145.421058

117598

49.87

119087

93.959

4.200'

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_


Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries



QTY. -041	P/N	DESCRIPTION
X	D3589-041	LATCH ASSEMBLY
1	D3589-045	AFT PLATE WELDMENT
1	D3589-043	FORWARD PLATE WELDMENT
1	D3589-1	ARM
2	D3589-3	ARM GUIDE
2	D3589-13	LUG
2	D3589-15	LINK
4	AN960JD4	WASHER
2	MS20392-1C7	PIN
2	MS24665-1010	COTTER PIN




**D3589-041 LATCH ASSEMBLY**



**DETAIL A: LINK ASSEMBLY DETAIL**

SCALE 2X  
2 PL



**DETAIL B: WELDING AND  
LINK ASSEMBLY DETAIL**

SCALE 2X  
2 PL

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 76029 M.C.J  
1111/03

**D3589-041 NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3589-041" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.73 lbs
- 8) WELDING: PER DART QSI 004 USING DT9033
- 9) IDENTIFIED PARTS ARE LOOSE ON D3589-1 ARM
- 10) INSTALL COTTER PIN IN ACCORDANCE WITH MS33540

B	0.80 AND 0.63 REF WERE 1.97 AND 0.60 (ZN C6-2); 0.50 WAS 1.89 (ZN C5-2); 0.75 REF REPLACES 2.01 (ZN C2-2); 29" WAS 15" (ZN B2-2); 19.00 WAS 18.86 (ZN D4-4); REDESIGNED D3589-9 (ZN A6-6) AND D3589-11F (ZN C2-3) REASON: REDESIGN FOR PROPER FIT AND TO MATCH TESTED CONFIGURATION	MB	08.06.25
A	NEW ISSUE	MB	08.05.29
REV.	DESCRIPTION	BY	DATE
DESIGN	J		
DRAWN	J		
CHECKED	PH		
MFG. APPR.	DS		
APPROVED	JP		
DE APPR.	JP		
DATE	08.06.25		

**DART AEROSPACE LTD**  
HAWKESBURY, ONTARIO, CANADA

DRAWING NO.  
**D3589**  
TITLE  
**LATCH ASSEMBLY**  
REV. B  
SHEET 1 OF 8  
SCALE  
NTS

COPYRIGHT © 2008 BY DART AEROSPACE LTD  
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**RELEASED**  
8/12/05/11/03



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_



Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			



NOTE: Date & initial all entries

76029

QTY -043	QTY -045	P/N	DESCRIPTION
X		D3589-043	FORWARD PLATE WELDMENT
	X	D3589-045	AFT PLATE WELDMENT
1	1	D3589-3	ARM GUIDE
1	1	D3589-7	AFT GUIDE PLATE
1		D3589-9	FORWARD GUIDE PLATE
1		D3589-11	FORWARD GUIDE PLATE



**D3589-043 FORWARD PLATE WELDMENT**



**D3589-045 AFT PLATE WELDMENT**

**RELEASED**  
09/07/05

**D3589-043/-045 NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3589-0XX" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT:
  - D3589-043 = 0.22 lbs
  - D3589-045 = 0.10 lbs
- 8) WELDING: PER DART QSI 004 USING DT9033
- 9) FORM D3589-11 TO FIT D3589-9 MATING EDGE

DESIGN		<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA DRAWING NO. <b>D3589</b> TITLE <b>LATCH ASSEMBLY</b> DATE <b>08.06.25</b>	REV. B
DRAWN			SHEET 2 OF 8
CHECKED			SCALE
MFG. APPR.			NTS
APPROVED			
DE APPR.		<small>COPYRIGHT © 2008 BY DART AEROSPACE LTD          THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

76029

QTY -047	QTY -049	P/N	DESCRIPTION
X		D3589-047	FORWARD GUIDE
	X	D3589-049	AFT GUIDE
1	1	D3589-5	LATCH GUIDE
1		D3589-17	FORWARD GUIDE PLATE
	1	D3589-19	AFT GUIDE PLATE

D3589-17  
FORWARD GUIDE PLATE


D3589-5  
LATCH GUIDE



**D3589-047 FORWARD GUIDE**

D3589-19  
AFT GUIDE PLATE

D3589-5  
LATCH GUIDE



**D3589-049 AFT GUIDE**

**D3589-047/-049 NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3589-0XX" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.07 lbs EACH
- 8) WELDING: PER DART QSI 004

**RELEASED**  
9/10/15

DESIGN		<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA DRAWING NO. <b>D3589</b> TITLE <b>LATCH ASSEMBLY</b> DATE <b>08.06.25</b>	REV. B
DRAWN			SHEET 3 OF 8
CHECKED			SCALE
MFG. APPR.			NTS
DE APPR.			
COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

76029



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector



Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

76029



**D3589-7 AFT GUIDE PLATE**  
MAKE FROM D3589-7F

**D3589-7F AFT GUIDE PLATE**  
**FLAT PATTERN**

**RELEASED**  
09/12/15

**D3589-7/7F NOTES:**

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, PER AMS 5513 OR AMS 5524, OR MIL-S-5059 (ANNEALED) 2B FINISH 16 GAUGE (0.063 THICK), (REF. DART SPEC M304S16GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.09 lbs

DESIGN	JH	<b>DART AEROSPACE LTD</b>	
DRAWN	JH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	PH	DRAWING NO.	REV. B
MFG. APPR.	PH	<b>D3589</b>	SHEET 5 OF 8
APPROVED	PH	TITLE	SCALE
DE APPR.	PH	<b>LATCH ASSEMBLY</b>	NTS
DATE	08.06.25	<small>COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

76029



- D3589-9/-11/-11F NOTES:**
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, PER AMS 5513 OR AMS 5524, OR MIL-S-5059 (ANNEALED) 2B FINISH 16 GAUGE (0.063 THICK), (REF. DART SPEC M304S16GA)
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: N/A
  - 7) WEIGHT: 0.09 lbs EACH
  - 8) CONTROL SHAPE PER DT9021 TEMPLATE

DESIGN		<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		<b>D3589</b>	SHEET 6 OF 8
APPROVED		TITLE	SCALE
DE APPR.		<b>FORWARD GUIDE PLATE</b>	NTS
DATE	08.06.25	<small>COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

76029



**D3589-13 LUG**



**D3589-15 LINK**

**RELEASED**  
09/02/05 117

**D3589-13/-15 NOTES:**

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, PER AMS 5513 OR AMS 5524, OR MIL-S-5059 (ANNEALED) 2B FINISH 16 GAUGE (0.063 THICK), (REF. DART SPEC M304S16GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.01 lbs EACH

DESIGN		<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		<b>D3589</b>	SHEET 7 OF 8
APPROVED		TITLE	SCALE
DE APPR.		<b>LATCH ASSEMBLY</b>	NTS
DATE	<b>08.06.25</b>	<small>COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries


76029



**D3589-17 FORWARD GUIDE PLATE**



**D3589-19F AFT GUIDE PLATE FLAT PATTERN**



**D3589-19 AFT GUIDE PLATE**  
(MAKE FROM D3589-19F)

**RELEASED**  
09/02/05/118

**D3589-17/-19/-19F NOTES:**

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, PER AMS 5513 OR AMS 5524, OR MIL-S-5059 (ANNEALED) 2B FINISH  
16 GAUGE (0.063 THICK), (REF. DART SPEC M304S16GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.02 lbs EACH

DESIGN		<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3589	SHEET 8 OF 8
APPROVED		TITLE	SCALE
DE APPR.		LATCH ASSEMBLY	NTS
DATE	08.06.25	<small>COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries